



MURAL PVC shower panels are super low maintenance and require very little effort to keep them looking great and performing as expected. Below are our recommended cleaning procedures.

Daily care (following use of shower or bath)

1. Use a soft, non-abrasive squeegee to remove excess water from the panels immediately after use of the shower or bath.
2. Wipe the panels with a dry, clean microfibre cloth to dry and absorb any remaining moisture and to prevent any water spots and streaking.

Weekly cleaning

1. Prepare a solution of mild dish washing soap and warm water in a spray bottle or bowl.
2. Spray onto the surface of the panels or apply using a soft cloth. Leave for 2-5 minutes to allow the solution to break down any build up of soap, scum and grime (for tougher stains a solution of 1 part white vinegar to 3 parts water can be used sparingly).
3. Wipe clean using a soft, clean sponge or microfibre cloth using a circular motion. For more stubborn areas apply a little more pressure.
4. Rinse thoroughly with clean water to ensure all cleaning solutions residue has been removed.
5. Wipe the panels with a fresh, clean, dry microfibre cloth to remove streaks and restore shine.

AVOID:

- **Harsh Chemicals:** never use abrasive or concentrated acidic and alkaline cleaners including bleach, acetone or ammonia as these will damage the surface of the panel.
- **Abrasive Tools:** never use scouring pads, brushes or steel wool as this will scratch and dull the surface.
- **High Heat:** Avoid steam cleaners as high temperatures can damage the panels.

Maintenance of trims and seals

The silicone sealant installed around the panels is crucial for preventing the ingress of water, leaks and mould growth. To ensure that the install stays waterproof and performs as expected:

1. Regularly check the seals for any signs of mould or mildew build-up and damage.
2. Clean the seals as you clean the panels. If mould is detected, used an appropriate mould and mildew spray after testing a small area or a solution of vinegar and water.
3. If the sealant is cracked, discoloured or showing signs of wear, replace it with a fresh waterproof silicone specifically designed for bathroom use.

Long-Term Care

To keep your panels looking pristine and performing, good ventilation is essential for preventing excessive moisture build-up that can lead to mould and mildew. Always use an extractor fan or open a window after showering.

Take care when handling any fixtures and accessories within the shower/bathroom area to prevent dents and damage to the panels.